

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re: Martin et al.  
Patent No.: 7,182,125 B2  
Issued: 02/27/2007 Conf. No.: 1027  
For: LOW PROFILE HEAT EXCHANGER WITH NOTCHED  
TURBULIZER  
Docket No.: 60,680-0771 Customer No.: 26127

Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT**

Dear Commissioner:

The assignee of the above referenced patent respectfully requests that a Certificate of Correction be granted in the above-identified patent. Attached is Form PTO-1050.

The errors that appear in the printed patent are as follows:

Column 12, line 11, please delete “than” and insert –that--.

---

**CERTIFICATE OF TRANSMISSION VIA EFS-WEB**

I hereby certify that this paper is being transmitted to the United States Patent and Trademark Office via the Office's electronic filing system EFS-Web addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the 27<sup>th</sup> day of July, 2007.

/Alesia A. Mungons/  
Alesia A. Mungons

It is respectfully submitted that these mistakes were due to PTO error and not Applicants' or the assignee's error and, accordingly, there is no fee due.

Respectfully submitted,

Date: July 27, 2007

By: /Adam B. Strauss/  
Adam B. Strauss, Reg. No. 43,167  
Dykema Gossett PLLC  
39577 Woodward Avenue, Suite 300  
Bloomfield Hills, MI 48304  
(248) 203-0764  
ipmail@dykema.com  
Customer No. 26127

# UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

PATENT NO. : 7,182,125 B2

DATED : Feb. 27, 2007

INVENTOR(S) : Martin et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 12, line 11, please delete "than" and insert --that--.

MAILING ADDRESS OF SENDER (Please do not use customer number

PATENT NO. 7,182,125 B2

Adam B. Strauss  
Reg. No. 43,167  
Dykema Gossett PLLC  
39577 Woodward Avenue, Suite 300  
Bloomfield Hills, MI 48304

No. of additional copies

